

1. Epstein, S.S. (2009) Microbial awakenings. *Nature* 457: 1083.
2. Epstein, S.S., (2009) *Uncultivated Microorganisms*. Series: Microbiology Monographs, Vol. 10; Springer Berlin / Heidelberg, 208. ISBN:978-3-540-85464-7
3. Epstein, S.S. (2009) General Model of Microbial Uncultivability, in *Uncultivated Microorganisms*, (Ed. S.S. Epstein). Series: Microbiology Monographs (Series Ed. Alexander Steinbuchel), Vol. 10; Springer Berlin / Heidelberg, 131-150. ISBN:978-3-540-85464-7
4. Stoeck, T., and S. S. Epstein (2009) Crystal Ball-2009: Protists and the rare biosphere. *Environmental Microbiology Reports*, 1:20-22.
5. Hong, S.-H, Bunge, J., Leslin, C., Jeon, S.-O., and S. S. Epstein (2009). Polymerase chain reaction primers miss half of rRNA microbial diversity. *ISME Journal* 3: 1365-1373.
6. Edgcomb, V., Orsi, W., Chesley Leslin, C., Epstein S. S., Bunge, J. Jeon, S.-O., Yakimov, M. M., Behnke, A., and T. Stoeck (2009). Protistan community patterns within the brine and halocline of deep hypersaline anoxic basins in the eastern Mediterranean Sea. *Extremophiles* 13:151–167.
7. Gavrish, E., Bollmann, A., Epstein, S. S., and Lewis, K. (2008) A trap for in situ cultivation of filamentous actinobacteria. *J. Microbiol. Methods* 72: 257–262.
8. Lewis, K., Epstein, S. S., Godoy, V. G., and S.-H. Hong (2008) Intact DNA in ancient permafrost. *Trends in Microbiol.* 16: 92-94.
9. Jeon, S., Bunge, J., Leslin, C., Stoeck, T., Hong, S.-H., and S. S. Epstein (2008) Environmental rRNA inventories miss over half of protistan diversity. *BMC Microbiol.* 8: 222-234.
10. Nichols D., Lewis, K., Orjala, J., Mo, S., Ortenberg, R., O'Connor, P., Zhao, C., Vouros, P., Kaerberlein, T., and S. S. Epstein (2008) Short peptide induces an "uncultivable" microorganism to grow in vitro. *Appl. Environ. Microbiol.*, 74: 4889-4897
11. Bollmann, A., K.Lewis, and S. S. Epstein (2007). Incubation of Environmental Samples in a Diffusion Chamber Increases the Diversity of Recovered Isolates. *Applied and Environmental Microbiology* 73: 6386–6390.
12. Giovannoni, S. J, R. Foster, M. S. Rappé, and S. S. Epstein (2007). New cultivation strategies bring more microbial plankton species into the laboratory. *Journal of the Oceanography Society* 20: 24-30. 2006
13. Bunge, J., S. S. Epstein, and D. G. Peterson (2006). Comment on "Computational improvements reveal great bacterial diversity and high metal toxicity in soil". *Science* 313: 918c.
14. Hong, S.-H., Bunge, J., Jeon, S.-O., and S. S. Epstein (2006). Predicting microbial species richness. *PNAS* 103: 117-122.

15. Jeon S.-O., Bunge, J., Stoeck, T., Barger, K. J.-A., Hong, S.-H., and S. S. Epstein (2006). Synthetic statistical approach reveals high richness of microbial eukaryotes in anoxic water column. *Appl. Environ. Microbiol.* 72: 6578-6583.
16. Stoeck, T., Hayward, B., Taylor, G.T., Varela, R., and S. S. Epstein (2006). A Multiple PCR-primer approach to access the microeukaryotic diversity in environmental samples. *Protist* 157: 31-43.
17. Hayward, B. H., R. Droste and S. S. Epstein (2003). Interstitial ciliates: benthic microaerophiles or planktonic anaerobes? *Journal of Eukaryotic Microbiology*, 50: 356-359.
18. Stoeck, T., G. Taylor, and S. S. Epstein (2003). Novel eukaryotes from a permanently anoxic Cariaco Basin (Caribbean Sea). *Applied and Environmental Microbiology* 69: 5656-5663.
19. Stoeck, T., and S. S. Epstein (2003). Novel eukaryotic lineages inferred from SSU rRNA analyses in oxygen-depleted marine environments. *Applied and Environmental Microbiology* 69: 2657-2663.
20. Stoeck, T., W. Fowle, and S. S. Epstein (2003). Methodology of protistan discovery: from rRNA detection to quality SEM images. *Appl. Environ. Microbiol.* 69: 6856-6863.
21. T.Kaeberlein, K. Lewis, and S. S. Epstein (2002). Isolating "uncultivable" microorganisms in pure culture in a simulated natural environment. *Science* 296: 1127-1129.
22. Epstein, S. S. (2001) Microbial interactions, version 1.0. In: *Nature Encyclopedia of Life Sciences*. London: Nature Publishing Group.
23. Bazylnski, D. A., D. A. Schlezinger, B.L. Howes, R. B. Frankel, and S. S. Epstein (2000). Occurrence and distribution of diverse populations of magnetic protists in a chemically stratified coastal salt pond. *Chemical Geology* 169: 319-328.
24. Epstein, S. S., W. Fowle, and D. Bazylnski (1998). Epibiotic bacteria on several ciliates from marine sediments. *Journal of Eukaryotic Microbiology*. 45: 64-70.
25. Epstein, S. S. (1997a). Microbial food webs in marine sediments. I. Trophic interactions and grazing rates in two tidal flat communities. *Microbial Ecology* 34: 188-198.
26. Epstein, S. S. (1997b). Microbial food webs in marine sediments. II. Seasonal changes in trophic interactions in a sandy tidal flat community. *Microbial Ecology* 34: 199-209.
27. Epstein, S. S., D. Alexander, K. Cosman, A. Dompé, S. Gallagher, J. Jarsobski, E. Laning, R. Martinez, G. Panasik, C. Peluso, R. Runde, and E. Timmer (1997). Enumeration of sandy sediment bacteria: are the counts quantitative or relative? *Marine Ecology Progress Series* 151: 11-16.

28. Epstein, S. S. (1996). Microbial food webs in marine sediments: the role of proto- and micrometazoan grazing. *Eos* 76 N° 3 (Suppl.) p. OS69.
29. Epstein, S. S. (1995). Simultaneous enumeration of protozoa and micrometazoa from marine sandy sediments. *Aquatic Microbial Ecology* 9: 219-227.
30. Berninger, U.-G. and S. S. Epstein (1995). Vertical distribution of benthic ciliates in response to the oxygen concentration in an intertidal North Sea Sediment. *Aquatic Microbial Ecology* 9: 229-236.
31. Epstein, S. S., and J. Rossel (1995b). Methodology of in situ grazing experiments: evaluation of a new vital dye for preparation of fluorescently labeled bacteria. *Marine Ecology Progress Series* 128: 143-150.
32. Epstein, S. S., and J. Rossel (1995a). Enumeration of sandy sediment bacteria: search for optimal protocol. *Marine Ecology Progress Series* 117: 289-298.
33. Epstein, S. S. (1994). A new marine interstitial ciliate from Northwest Atlantic, *Tracheloraphis primitarum* sp. n. (Ciliophora, Karyorelictida, Trachelocercidae). *Journal of Eukaryotic Microbiology*, 41: 500-503.
34. Epstein, S. S., and M. P. Shiaris (1992a). Size-selective grazing of coastal bacterioplankton by natural assemblages of pigmented flagellates, colorless flagellates, and ciliates. *Microbial Ecology* 23: 211-225.
35. Epstein, S. S., and M. P. Shiaris (1992b). The rates of microbenthos- and meiobenthos bacterivory in a temperate muddy tidal-flat community. *Applied and Environmental Microbiology* 58: 2426-2431.
36. Epstein, S. S., I. V. Burkovsky, and M. P. Shiaris (1992). Ciliate grazing on bacteria, flagellates, and microalgae in a temperate sandy-flat: ingestion rates and food niche partitioning. *Journal of Experimental Marine Biology and Ecology* 165: 103-123.
37. Epstein, S. S., and E. D. Gallagher (1992). Evidence for facilitation and inhibition of ciliate population growth by meiofauna on a temperate sandflat. *Journal of Experimental Marine Biology and Ecology* 155: 27-39.
38. Epstein, S. S. (1984). Growth rates of benthic ciliates from White Sea sediments under experimental conditions. *Oceanology* 24: 116-118.
39. Epstein, S. S. (1983). Experimental study of grazing rates of marine sediment ciliates. *Oceanology* 23: 767-772.
40. Burkovsky, I.V., and S. S. Epstein (1982). Additional data on food specialization and trophic structure of a marine sediment ciliate community (the White Sea, Russia). *Zoologicheski Zhurnal* 61: 129-132.
41. Burkovsky, I.V., S. S. Epstein, and N. N. Moliboga (1980). Food specialization and trophic structure of a marine sediment ciliate community (the White Sea, Russia). *Zoologicheski Zhurnal* 59: 325-334.